

State	Initial reduction goal	Long-range goal
Arizona	2000 levels by 2020	50% below 2000 levels by 2040
California	2000 levels by 2010; 1990 levels by 2020	80% below 1990 levels by 2050
Connecticut	1990 levels by 2010; 10% below 1990 levels by 2020	75-85% below 2001 levels in the long term.
Illinois	1990 levels by 2020	60% below 1990 levels by 2050
Massachusetts	1990 levels by 2010; 10% below 1990 levels by 2020	75-85% below 1990 levels in the long term
Maine	1990 levels by 2010; 10% below 1990 levels by 2020	75-80% below 2003 levels in the long term
New Hampshire	1990 levels by 2010; 10% below 1990 levels by 2020	75-80% below 2001 levels in the long term
New Jersey	3.5% below 1990 levels by 2005	n/a
New Mexico	2000 levels by 2012; 10% below 2000 levels by 2020	75% below 2000 levels by 2050
New York	5% below 1990 levels by 2010	10% below 1990 levels by 2020
Oregon	Stabilize by 2010; 10% below 1990 levels by 2020	75% below 1990 levels by 2050
Rhode Island	1990 levels by 2010	10% below 1990 levels by 2020
Vermont	1990 levels by 2010; 10% below 1990 levels by 2020	75-85% below 2001 levels in the long term

State	Initial reduction goal	Long-range goal
Arizona	2000 levels by 2020	50% below 2000 levels by 2040
California	2000 levels by 2010; 1990 levels by 2020	80% below 1990 levels by 2050
Connecticut	1990 levels by 2010; 10% below 1990 levels by 2020	75-85% below 2001 levels in the long term.
Illinois	1990 levels by 2020	60% below 1990 levels by 2050
Massachusetts	1990 levels by 2010; 10% below 1990 levels by 2020	75-85% below 1990 levels in the long term
Maine	1990 levels by 2010; 10% below 1990 levels by 2020	75-80% below 2003 levels in the long term
New Hampshire	1990 levels by 2010; 10% below 1990 levels by 2020	75-80% below 2001 levels in the long term
New Jersey	3.5% below 1990 levels by 2005	n/a
New Mexico	2000 levels by 2012; 10% below 2000 levels by 2020	75% below 2000 levels by 2050
New York	5% below 1990 levels by 2010	10% below 1990 levels by 2020
Oregon	Stabilize by 2010; 10% below 1990 levels by 2020	75% below 1990 levels by 2050
Rhode Island	1990 levels by 2010	10% below 1990 levels by 2020
Vermont	1990 levels by 2010; 10% below 1990 levels by 2020	75-85% below 2001 levels in the long term